

Biktarvy - (50 mg/200 mg/ 25 mg ; Tablets)

Generic Name	Bictegravir Sodium, Emtricitabine and Tenofovir Alafenamide Fumarate	Innovator	Gilead
Dosage	50 mg/200 mg/ 25 mg ; Tablets	Branded US Sales	More Than \$1000 mn
Probable FTF	Less Than 5	Known Para IV Filers	Less Than 5
Other ANDA developers	More Than 5	Tentative Approvals	Less Than 5
Final Approvals	None	Generic Launches	None
Indication	BIKTARVY is a three-drug combination of bictegravir (BIC), a human immunodeficiency virus type 1 (HIV-1) integrase strand transfer inhibitor (INSTI), and emtricitabine (FTC) and tenofovir alafenamide (TAF), both HIV-1 nucleoside analog reverse transcriptase inhibitors (NRTIs), and is indicated as a complete regimen for the treatment of HIV-1 infection in adults who have no antiretroviral treatment history or to replace the current antiretroviral regimen in those who are virologically suppressed (HIV-1 RNA less than 50 copies per mL) on a stable antiretroviral regimen for at least 3 months with no history of treatment failure and no known substitutions associated with resistance to the individual components of BIKTARVY.		
Complexities	Yes		

Chronology Of Events

Please Contact <u>contact@researchdelta.com</u> to get Detailed Information.

Executive Summary

Please Contact <u>contact@researchdelta.com</u> to get Detailed Information.

Patent Status

Please Contact <u>contact@researchdelta.com</u> to get Detailed Information.

Launch Timelines and Competition

Please Contact <u>contact@researchdelta.com</u> to get Detailed Information.

Chronology Of Events



Please Contact contact@researchdelta.com to get Detailed Information.



Biktarvy - (30 mg / 120 mg / 15 mg ; Tablet)

Generic Name	Bictegravir Sodium, Emtricitabine and Tenofovir Alafenamide Fumarate	Innovator	Gilead
Dosage	30 mg / 120 mg / 15 mg ; Tablet	Branded US Sales	More Than \$1000 mn
Probable FTF	None	Known Para IV Filers	None
Other ANDA developers	More Than 5	Tentative Approvals	None
Final Approvals	None	Generic Launches	None
Indication	BIKTARVY is a three-drug combination of bictegravir (BIC), a human immunodeficiency virus type 1 (HIV-1) integrase strand transfer inhibitor (INSTI), and emtricitabine (FTC) and tenofovir alafenamide (TAF), both HIV-1 nucleoside analog reverse transcriptase inhibitors (NRTIs), and is indicated as a complete regimen for the treatment of HIV-1 infection in adults and pediatric patients weighing at least 14 kg who have no antiretroviral treatment history or to replace the current antiretroviral regimen in those who are virologically suppressed (HIV-1 RNA less than 50 copies per mL) on a stable antiretroviral regimen with no history of treatment failure and no known substitutions associated with resistance to the individual components of BIKTARVY.		
Complexities	Yes		

Chronology Of Events

Please Contact <u>contact@researchdelta.com</u> to get Detailed Information.

Executive Summary

Please Contact <u>contact@researchdelta.com</u> to get Detailed Information.

Patent Status

Please Contact <u>contact@researchdelta.com</u> to get Detailed Information.

Launch Timelines and Competition

Please Contact <u>contact@researchdelta.com</u> to get Detailed Information.

Chronology Of Events



Please Contact contact@researchdelta.com to get Detailed Information.